



**PLAN**  
SCALE (1:50)

**GENERAL NOTES:**


- G1. DURING CONSTRUCTION THE STRUCTURE SHALL BE MAINTAINED IN A STABLE CONDITION AND NO PART SHALL BE OVER STRESSED.
- G2. PRIOR TO COMMENCEMENT OF WORKS THE BUILDER SHALL SATISFY THEMSELVES OF THE CORRECT LOCATIONS OF ALL EXISTING SERVICES WHETHER INDICATED OR NOT ON THE PLANS.
- G3. LOCATING OF THE STRUCTURE, INCLUDING CO-ORDINATES IF APPLICABLE, IS THE RESPONSIBILITY OF THE CLIENT AND/OR THE CLIENT'S SITE REPRESENTATIVE.
- G4. STRUCTURE HAS BEEN DESIGNED IN ACCORDANCE TO THE FOLLOWING AUSTRALIAN STANDARDS:  
- AS1170.1, AS1170.2, AS1720.1, AS3600 AND AS4100, AS1664.
- G5. STRUCTURE IS SUITABLE FOR N3 AREAS AND HAS BEEN DESIGNED WITH AN AVERAGE RECURRENCE INTERVAL OF 100 YEARS.
- G6. SITE COVERAGE IS 16.0m<sup>2</sup> (ROOF AREA).
- G7. THE FOOTING HAS BEEN DESIGNED ASSUMING:  
- SITE CLASS S OR M  
- ALLOWABLE SOIL BEARING CAPACITY OF 100kPa  
- SOIL ADHESION OF 10kPa  
(TO BE VERIFIED ON SITE).
- G8. FOR SLABS ON GROUND, ALL TOPSOIL AND UPPER STRATA CONTAINING SOFT OR ORGANIC MATTER ARE TO BE REMOVED AND REPLACED WITH SELECT COMPACTED FILL.
- G9. ALL FILL TO BE CLEAN, PLACED IN LAYERS NOT EXCEEDING 200mm AND COMPACTED TO 95% STANDARD COMPACTION.
- G10. EARTHWORKS SHALL BE CARRIED OUT IN ACCORDANCE WITH CRITERIA AND PROCEDURES SET OUT IN AS3798 *GUIDELINES ON EARTHWORKS FOR COMMERCIAL AND RESIDENTIAL DEVELOPMENTS.*



**SIDE ELEVATION**  
SCALE (1:50)



**FRONT ELEVATION**  
SCALE (1:50)

|          |  |       |         |  |  |   |  |   |                        |              |
|----------|--|-------|---------|--|--|---|--|---|------------------------|--------------|
| 5        | -  | -     | -       |  <p>THIRD ANGLE PROJECTION U.N.O.</p>   |  <p><b>Landmark</b><br/>open space structures &amp; solutions</p> | DRAWN   | CLIENT NAME  | <p><b>LANDMARK PRODUCTS LIMITED</b></p> |                        |              |
| 4        | -  | -     | -       |  |  | CHECKED   | PROJECT  |   |                        |              |
| 3        | -  | -     | -       |  |  | DATE  | <p><b>STANDARD K660 "KING" SHELTER RANGE</b><br/><b>K661 4m x 4m</b></p>   |   |                        |              |
| 2        | -  | -     | -       |  |  | SCALE   | DRAWING TITLE  | DRAWING NUMBER                          | SHEET                  | REVISION     |
| 1        | LIFTING LUGS ADDED, LANDMARK CONTACT DETAILS UPDATED | JSH   | 24.6.24 |  |  | <p>mm</p> <p>ALL DIMENSIONS IN MILLIMETRES U.N.O.<br/>DO NOT SCALE FROM DRAWINGS<br/>IF IN DOUBT, ASK</p> | <p>Landmark Products Pty. Ltd.<br/>A.B.N. 99 112 000 843<br/>6/26 Flinders Parade,<br/>North Lakes,<br/>Queensland 4509</p> <p>PH: 1300 768 230<br/>www.landmarkpro.com.au<br/>landmark@landmarkpro.com.au</p> | 1:50                                    | BA - PLAN & ELEVATIONS | K6614S*S*IG* |
| REVISION |  | DRAWN | DATE    | <p>© LANDMARK PRODUCTS PTY. LTD.<br/>THIS DOCUMENT IS AND SHALL REMAIN THE PROPERTY OF LANDMARK PRODUCTS LIMITED.<br/>UNAUTHORISED USE OF THIS DOCUMENT IN ANY FORM IS PROHIBITED.</p> |  | PAGE  |  |   |                        |              |